

**KLUDI**   
WATER IN PERFECTION



Kitchen and bathroom fittings for the modern home.

*Edition 1*

## Simply switch FLEXX.BOXX concealed solution

### KLUDI FLEXX.BOXX *For use with single lever shower mixers* concealed unit DN 20



>> The ideal concealed unit for any application – from thermostats and single lever mixers to intrinsic safety. You can even wait until the last minute to choose the most suitable KLUDI fitting. The integrated test and flushing block saves valuable time during installation.



- Concealed unit DN 20
- Pre-installation set
- Without trim set
- Without functional unit
- In-wall installation
- With one-piece elastomere-coating
- With protection cap for skeleton
- With additional tight gasket
- With test- and rinse-block
- Dezincification resistant brass
- P-IX 19310/ICB



Download the FLEXX.BOXX brochure

It couldn't be any more flexible in use, serving as a universal concealed unit for any application. If you prefer, you can wait until the last minute to choose the most suitable KLUDI fitting for your needs, because the functional unit is fully assembled with the selected trim set on delivery.

The concealed unit includes an integrated test and flushing block, saving valuable time during installation. In addition, the integrated flushing set allows more water to flow, resulting in a faster, more thorough flush. It makes flushing the domestic pipelines even easier and enables reliable leak tightness tests in accordance with DIN 1988.



KLUDI, a mid-sized business founded in Germany's Sauerland region in 1926, stands for almost 100 years of experience in the development and manufacture of high-quality bathroom and kitchen fittings.



## Pictograms



### s-pointer

Angle of water flow can be adjusted to fit different shaped basins.



### Eco

Saves at least 40 % water.



### Pull-out spout

Fitting with pull-out spout for extended working radius.



### Showering hygiene

Quick and easy to drain remaining water from the hand spray. No dripping.



### Hand spray

Fitting with pull-out hand spray, can be switched over from normal flow to spray mode.



Kitchen Mixers

**Kludi L Steel (Pull-Out Spout)**

The classic L-shape in solid stainless steel exuding quality and authenticity.

- Pull-out spout
- Stainless Steel
- Solid lever
- Single hole mounted
- Flow rate 8,1 l/min at 3 bar
- Protected against back-flow
- Ceramic cartridge
- Swivelling spout (180°)
- Shank fastening
- Flexible hoses G 3/8



| Type/Option/Version | Colour and specification | Product Code | Matching Accessory |
|---------------------|--------------------------|--------------|--------------------|
|---------------------|--------------------------|--------------|--------------------|




Stainless Steel  
Brushed

KL45851F877



Regulating angle valve  
SL054350699



**Scope of supply**

- Mixer tap
- Flexible hoses
- Mounting accessories

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|

## Kitchen Mixers

### Kludi L-INE S (Pull-Out Spout)

A reinterpretation of the classic L-shape offering a delicate, traditional look.

- Pull-out spout
- Solid lever
- Single hole mounted
- Flow rate 8,2 l/min at 3 bar
- Protected against back-flow
- Ceramic cartridge
- Swivelling spout
- Shank fastening
- Flexible hoses G 3/8



| Type/Option/Version | Colour and specification | Product Code | Matching Accessory |
|---------------------|--------------------------|--------------|--------------------|
|---------------------|--------------------------|--------------|--------------------|



Metallic surface  
Chrome

KL408510575



Regulating angle valve  
SL054350699



Metallic surface  
Matt black/chrome

KL408518775



Regulating angle valve  
SL054350699




Metallic surface  
Matt white/chrome

KL408519375



Regulating angle valve  
SL054350699



#### Scope of supply

Mixer tap  
Flexible hoses  
Mounting accessories

## Kitchen Mixers

### Kludi L-INE S (Fixed Spout)

A reinterpretation of the classic L-shape offering a delicate, traditional look.

- Fixed spout
- Single hole mounted
- Flow rate 7,1 l/min at 3 bar
- Ceramic cartridge
- Swivelling spout (360°)
- Shank fastening
- Flexible hoses G 3/8



DN 15



| Type/Option/Version | Colour and specification | Product Code | Matching Accessory |
|---------------------|--------------------------|--------------|--------------------|
|---------------------|--------------------------|--------------|--------------------|




Metallic surface  
Chrome

KL408030575



Regulating angle valve  
SL054350699



#### Scope of supply

- Mixer tap
- Flexible hoses
- Mounting accessories

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|



## Kitchen Mixers

### Kludi Bingo Star XS

A reinterpretation of the classic arch shape exuding powerful energy and subtle grace.

- Fixed spout
- Ideal for small kitchens
- Comfortable shortened lever
- Single hole mounted
- Flow class Z
- Ceramic cartridge with hot water limitation
- Swivelling spout (360°)
- Rapid installation set
- Flexible hoses G 3/8



| Type/Option/Version | Colour and specification | Product Code | Matching Accessory |
|---------------------|--------------------------|--------------|--------------------|
|---------------------|--------------------------|--------------|--------------------|




Metallic surface  
Chrome

KL468030578



Regulating angle valve  
SL054350699



#### Scope of supply

- Mixer tap
- Flexible hoses
- Mounting accessories

## Bathroom Mixers

### Kludi Balance Basin Mixer

A combination of curves and generously sized surfaces resulting in harmonious design.

- Solid lever
- Single hole mounted
- Flow class Z
- Ceramic cartridge with hot water limitation
- Caché Eco s-pointer-aerator
- Rapid installation set
- Flexible hoses G 3/8
- Noise level I
- Water flow regulator 8.0 l/min



DN 10



| Type/Option/Version | Colour and specification | Product Code | Matching Accessory |
|---------------------|--------------------------|--------------|--------------------|
|---------------------|--------------------------|--------------|--------------------|




Metallic surface  
Chrome

KL520260575



Regulating angle valve  
SL054350699



#### Customers also purchased



Balance mixer lever  
KL526630575 (with diverter)



Balance mixer lever  
KL526550575



Balance bath filler  
KL5250305

#### Scope of supply

Mixer tap  
Flexible hoses  
Mounting accessories



## Bathroom Mixers

### Kludi Pure&Style Basin Mixer

The Pure&Style range combines top class design with outstanding functionality.

- Solid lever
- Single hole mounted
- Flow rate 7 l/min at 3 bar
- Flow regulator
- Ceramic cartridge with hot water limitation
- Rapid installation set
- Flexible hoses G 3/8



DN 15



| Type/Option/Version | Colour and specification | Product Code | Matching Accessory |
|---------------------|--------------------------|--------------|--------------------|
|---------------------|--------------------------|--------------|--------------------|



Metallic surface  
Chrome

KL400280575



Regulating angle valve  
SL054350699





Metallic surface  
Chrome

KL402960575



Regulating angle valve  
SL054350699



#### Scope of supply

Mixer tap  
Flexible hoses  
Mounting accessories

#### Customers also purchased



Pure&Style shower mixer  
KL404190575 (with diverter)



Pure&Style shower mixer  
KL404200575

## Bathroom Mixers

### Kludi Pure&Easy Basin Mixer

The Pure&Easy range combines top class design with functional characteristics.

- Solid lever
- Single hole mounted
- Flow rate 8,2 l/min at 3 bar
- Protected against back-flow
- Ceramic cartridge
- Swivelling spout
- Shank fastening
- Flexible hoses G 3/8



DN 15



| Type/Option/Version | Colour and specification | Product Code | Matching Accessory |
|---------------------|--------------------------|--------------|--------------------|
|---------------------|--------------------------|--------------|--------------------|



Metallic surface  
Chrome

KL373870565



Regulating angle valve  
SL054350699





Metallic surface  
Chrome

KL370240565



Regulating angle valve  
SL054350699



#### Customers also purchased



Pure&Easy shower mixer  
KL374190565 (with diverter)



Pure&Easy shower mixer  
KL374200565



Pure&Easy bath mixer  
KL376810565

#### Scope of supply

Mixer tap  
Flexible hoses  
Mounting accessories



## Bath Mixers

### Kludi Balance Bath Filler

The reduced design that seamlessly integrates into modern bathroom styles.

#### FILLER

- Wall fastening
- 170mm Projection
- Flow class C
- S-pointer-aerator

#### MIXER

- Concealed single lever bath and shower mixer
- Concealed valve with functional unit
- Ceramic cartridge with hot water limitation
- Flow rate 25 l/min at 3 bar
- Solid lever
- Wall fastening



| Type/Option/Version | Colour and specification | Product Code | Matching Accessory |
|---------------------|--------------------------|--------------|--------------------|
|---------------------|--------------------------|--------------|--------------------|



Metallic surface  
Chrome

KL5250305



Single lever mixer  
KL526550575

required accessories:  
KLUDI FLEXX.BOXX  
concealed body DN 20



Metallic surface  
Chrome  
Without diverter

KL526550575



Installation box  
(Required)  
KL88011




Metallic surface  
Chrome  
With diverter

KL526630575



Installation box  
(Required)  
KL88011



#### Scope of supply

Bath filler  
Mounting accessories

#### Accessories & spares



Kludi flexx.boxx  
KL88011

#### Customers also purchased



Balance basin mixer  
KL520260575

## Bath Mixers

### Kludi Pure&Style Bath Mixers

The Pure&Style range combines top class design with outstanding functionality.

- Concealed single lever bath and shower mixer
- Concealed trim-set
- Solid lever
- Autom. diverter shower/bathtub (KL404190575)

DN 15



| Type/Option/Version | Colour and specification | Product Code | Matching Accessory |
|---------------------|--------------------------|--------------|--------------------|
|---------------------|--------------------------|--------------|--------------------|



Metallic surface  
Chrome  
With diverter

KL404190575



Installation box  
(Required)  
KL38636





Metallic surface  
Chrome  
Without diverter

KL404200575



Installation box  
(Required)  
KL38828



#### Scope of supply

Mixer tap  
Mounting accessories

#### Customers also purchased



Pure&Style Basin Mixer  
KL400280575



Pure&Style Basin Mixer  
KL402960575



## Bath Mixers

### Kludi Pure&Easy Bath Mixers

The Pure&Easy range combines top class design with functional characteristics.

#### FILLER

- Wall fastening
- Solid lever
- Ceramic cartridge with hot water limitation
- Flow class C/B
- Autom. diverter shower/bathtub
- Shower outlet G 1/2
- Protected against back flow
- S-connections

#### MIXER

- Concealed trim-set
- Solid lever
- Wall fastening

DN 15

| Type/Option/Version | Colour and specification | Product Code | Matching Accessory |
|---------------------|--------------------------|--------------|--------------------|
|---------------------|--------------------------|--------------|--------------------|



Metallic surface  
Chrome  
With diverter

KL376810565



Freshline bath shower  
KL6785005



Metallic surface  
Chrome  
With diverter

KL374190565



Installation box  
(Required)  
KL38636






Metallic surface  
Chrome  
Without diverter

KL374200565



Installation box  
(Required)  
KL38828



#### Scope of supply

Mixer tap  
Mounting accessories

#### Customers also purchased



Pure&Easy Basin Mixer  
KL373870565



Pure&Easy Basin Mixer  
KL370240565



Pure&Easy

KLUDI   
WATER IN PERFECTION

## Kludi Fizz

KLUDI FIZZ offers an extraordinary design while also fulfilling individual ergonomic needs

- Spray mode: volume
- Flow rate 8 l/min at 3 bar (shower head)
- Flow rate 8 l/min at 3 bar (bath shower)
- Limescale Quick-cleaning
- Connection G 1/2



| Type/Option/Version | Colour and specification | Product Code | Matching Accessory |
|---------------------|--------------------------|--------------|--------------------|
|---------------------|--------------------------|--------------|--------------------|



350mm Shower head  
Chrome

KL6757805



Shower arm, chrome  
KL6651405




Bath shower set 1S  
Chrome

KL6767005



Pure&Style bath mixer  
with diverter,  
Chrome  
KL404190575



### Scope of supply

Shower head:  
3-cartridge head

Bath shower:  
Spray head  
Kludi Suparaflex hose  
Wall supply with holder

## Kludi A-QA

A-QA's extra large rainfall shower provides relaxation and sophisticated technology.

- Spray mode: volume (KL6651005/KL6653005)
- Spray mode: rain shower (KL6219105)
- Flow rate 37 l/min at 3 bar (KL6651005)
- Flow rate 25,8 l/min at 3 bar (KL6653005)
- Flow rate 18 l/min at 3 bar (KL6219105)
- Limescale Quick-cleaning
- Connection G 1/2



| Type/Option/Version | Colour and specification | Product Code | Matching Accessory |
|---------------------|--------------------------|--------------|--------------------|
|---------------------|--------------------------|--------------|--------------------|



200mm Round head  
Chrome

KL6651005



Shower arm, chrome  
KL6651405



200mm x 200mm  
Chrome

KL6653005



Shower arm, chrome  
KL6651405




85mm round head  
Chrome

KL6219105



Shower arm, chrome  
KL6235305



### Scope of supply

Shower head

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|--|--|--|--|--|



## Shower & Bath Shower Sets

### Kludi Freshline

The FRESHLINE collection combines minimalist design with functional variety.

- KLUDI SUPARAFLEX SILVER
- Spray mode: volume
- Flow rate 23 l/min at 3 bar (5005)
- Flow rate 19 l/min at 3 bar (7005)
- Limescale Quick-cleaning
- Connection G 1/2 x G 1/2 x 1250 mm
- Wall fastening



| Type/Option/Version | Colour and specification | Product Code | Matching Accessory |
|---------------------|--------------------------|--------------|--------------------|
|---------------------|--------------------------|--------------|--------------------|



Bath shower set 1S  
Chrome  
With wall fastening

KL6785005



Pure&Easy bath mixer,  
Chrome  
KL376810565





Bath shower set 1S  
Chrome  
With wall supply

KL6787005



Pure&Easy mixer  
with diverter  
Chrome  
KL374190565



#### Scope of supply

Spray head  
Kludi Suparaflex hose  
Wall supply / holder

## Kludi Trigger Spray

Perfectly designed for simple personal hygiene and cleaning in the modern bathroom.

- Spray with shut off DN 15
- Spray flush
- Shower hose G 1/2 x G 1/2 x 1250mm
- Metal braided hose
- Flow class A
- Wall fastening



DN 15

| Type/Option/Version | Colour and specification | Product Code | Matching Accessory |
|---------------------|--------------------------|--------------|--------------------|
|---------------------|--------------------------|--------------|--------------------|




Trigger spray set  
Chrome  
With wall fastening

KL7304205




Regulating angle valve  
SL054350699



### Scope of supply

Spray head  
Metal braided hose  
Wall hook  
Fastening screws and dowels

A close-up photograph of a modern, polished chrome faucet on a white ceramic sink. The faucet has a high, curved spout and a single-lever handle. On the sink's surface, a black toothbrush and a tube of toothpaste are visible. The background shows a white tiled wall and a mirror reflecting the faucet. A blue text box is overlaid on the left side of the image.

Our tradition as a fittings specialist drives our ambition to unite premium quality 'made in Germany', innovative technologies and top-class design in KLUDI products. As a result, our fittings are much more than just everyday utensils. Elegantly designed, reliable, sensual and emotional in the water experience they offer, they add quality to the user's life.

Whilst Larson has used its best endeavours to ensure that the information provided in this catalogue - including (but not limited to) technical specifications, measurements and colours - are accurate and up to date at the time of issue, does not warrant that it is correct or complete. We reserve the right to make corrections and changes without notification and unless otherwise stated and agreed upon in writing, Larson makes no warranties of any kind, express or implied, that goods sold are suitable for any particular purpose or application under any specific condition. It is recommended that every item should be thoroughly tested by the purchaser to determine performance suitability before use of goods.

